



Stop-Tite® PM Checklist

Customer:	Order #:	Date:
------------------	-----------------	--------------

Address:	Equipment Model:
-----------------	-------------------------

WARNING	Always read and understand the Owner's/User's Manual and become thoroughly familiar with the equipment and its controls before installing or operating equipment. Failure to read and understand the owner's/user's manual could result in death, serious injury, damage to equipment or voiding of warranty!
----------------	--

Maintenance Steps	Dock #	Dock #	Dock #	Dock #
	Serial #	Serial #	Serial #	Serial #
Weekly Maintenance	Completed Steps			
1) Operate the restraint and dock leveler through complete operating cycle to maintain lubrication.				
2) Verify all inside and outside signal lights operate correctly. Verify audible alarm. (If applicable.)				
3) Inspect warning decals and placards. Replace if damaged or missing.				
4) Inspect the rear vertical track. Make sure it is free of dirt and debris.				
Quarterly Maintenance				
1) Complete weekly maintenance.				
2) Check all welds for cracks.				
3) Clean and lubricate scissor assembly and all pivot points with low temp. white lithium aerosol grease.				
4) Inspect and clean proximity switches and wiring.				
5) Inspect all anchors, concrete and curb steel.				
6) Make sure rear track assist spring is properly seated at the bottom of the rear track.				
7) Check reservoir fluid level. (Automatic units only)				
8) Inspect hydraulic hoses, cylinders and fittings. (Automatic units only)				

-- Continued --	Dock #	Dock #	Dock #	Dock #
Annual maintenance				
1) Perform quarterly maintenance.				
2) Change hydraulic oil (may be required more often depending on operating environment) Reference owner's manual for list of approved fluids.				

Dock#	Comment or Description of Repair(s) Needed	Approval	Completed

Notes: (Detail adjustments performed, parts replaced, etc.) _____

By signing below I/we certify that all steps required by Systems, LLC have been completed:

Service Provider Representative (print name & sign):	Date:
Customer/End User Representative (print name & sign):	Date:



A Division of Systems, LLC

Recommended Spare Parts

Stop-Tite® Restraint

Quantity	Part Number	Description
1	3051-0058	Capacitor, motor starter (PowerStop Only)
1	0615-0037	Prox SW Kit (2 Wire) Includes Hardware
1	0961-0538	Prox AC Switch Upper limit (FLAT STYLE)
1	8581-0118	Coil, 115V P-Stop Only